

Reported Implementation of FP Integration with HIV and RH Services: Evidence from Facilities, Providers, and Women

Joshua Davis, Paul Kuria, Janet Omyonga,
Ilene Speizer

The 2012 Integration for Impact Conference; Sept 12-14 2012,
Nairobi, Kenya



Objectives

- Compare measures of integration from three facility-level data sources and one population-level data source
- Compare levels of integration of FP within two service lines: child health and HIV related service



Data Sources

2011 Tupange / MLE Facility Service Delivery Point Survey

- Conducted in partnership with KEMRI – RCTP in the five Tupange urban sites: Nairobi, Mombasa, Kisumu, Machakos and Kakamega
 - Facility Audit
 - Service provider
 - Exit interviews



Data Sources con't

- **2010 Tupange / MLE Baseline Household Survey**

- Representative, population level survey conducted with Kenya National Bureau of Statistics in 2010 in the same five urban centers
- 8,932 women were interviewed as part of the longitudinal arm of the MLE study




Analysis

Descriptive tabulations calculated among:

- Facility Survey
 - Limited to strategic facilities (n=205)
- Population-level survey:
 - Child health services in the last three months
 - HIV test in the last year




Percent of facilities and providers that offer Child Health Services




Source: 2011 Tupange/MLE SDP Survey

Percent of facilities and providers that offer HIV related services




Source: 2011 Tupange/MLE SDP Survey

Integration of FP during Child Health visits




Source: 2011 Tupange/MLE SDP Survey

Integration of FP during HIV-related services




Source: 2011 Tupange/MLE SDP Survey

Percent of Child Health or HIV related Exit Interview clients that received FP information at time of service



Source: 2011 Tupange/MLE SDP Survey

Percent of women reporting receiving FP information or counseling at time of HIV testing and Child Health Services



Source: 2010 Tupange/MLE Baseline HH Survey

Conclusions / Implications

- Consistency between client-level data sources and supply-side data sources
- Gap between what the facilities/providers report and what women say they are experiencing
- Suggests the need for better understanding of the integration context



Acknowledgements

- The Bill & Melinda Gates Foundation
- Kenya Medical Research Institute – RCTP
- Kenya National Bureau of Statistics

Further correspondence

Jdavis@unc.edu

Pkuria@aphrc.org

